

KenclozerTM

ABS/Polycarbonate
Enclosures

ENCLOSE POWER ENHANCE STRENGTH

Buy Only Kenclozer
enclosures for Solar
Project



www.ksquareenergy.com



KENCLOZER is a brand owned by **Ksquare Energy Pvt. Ltd.** We manufacture premium quality polycarbonate enclosures and junction boxes for indoor as well as outdoor applications.

Types of Enclosure:

1

Industrial Polycarbonate Enclosures

2


Wall Mount Polycarbonate Enclosures



Our **Kenclozer** brand products are well tested of every quality parameters by our strong technical team before being delivered to our customers. We also manufacture customised range of enclosure boxes as per requirement.

We use premium quality material for Lid, Bottom, Screws and O-Ring. With precision manufacturing techniques we promise you 100% quality assurance in our products.


1



Full face o-ring interface makes sure to seal the face in all manner, No more chances for gap and particle immersion. Special o-ring material chosen for long life in extreme environment criteria.

Extra length gripping of mounting screws ensuring the proper tightening force of din rails & mounting plates. This will also reduce the chance of damaging the components in transportation. Recommended to use the mounting plate instead of Din rails for long distance travels.

2



Extra Length Gripping

3




Multiple mounting locations will allow to mount the din rails/plates at many locations i.e horizontal, vertical, single line two lines etc. Each mounting location is designed based on MCB, SPD, Fuses and other components of standard height.

APPLICATIONS

- | | |
|------------------------------------|---------------------|
| • Solar junction boxes (DCDB/ACDB) | |
| • CNC Machine Panels | • Display Meters |
| • AC Combiner boxes | • Motor starters |
| • Instrument Panels | • Hydraulics panels |



4



PRODUCT RANGE

SN	PRODUCT CODE	DIMENSION (LxWxD)	PCS/CARTOON	MATERIAL & TYPE
01	SRT-ABS-1813T	180*130*100 mm	36	Type: Transparent Bottom: ABS Top Cover: PC
02	SRT-ABS-1818T	180*180*100 mm	24	
03	SRT-ABS-2219T	220*190*100 mm	20	
04	SRT-ABS-2920T	290*200*130 mm	12	
05	SRT-ABS-3819T	380*190*130 mm	9	
06	IND-ABS-2828T	280*280*130 mm	8	
07	IND-ABS-4030T	400*300*130 mm	6	
08	IND-ABS-5638T	560*380*180 mm	2	

Opaque & Full PC Material Model Available on Request




TECHNICAL SPECIFICATIONS

KenclozerTM

SN	PROPERTY	ABS-POLYCARBONATE
01	Ingress Protection (EN 60529)	IP 66/67
02	Impact Resistance (EN 62262)	IK 07
03	Temperature Range - Continuous	-20°C to +60°C
04	Electrical Insulation	Insulated
05	Enclosure Flammability Rating	UL 94-HB
06	Glow Wire Test	650°C
07	Non-Toxicity	Halogen Free
08	UV Resistance (UL746C)	-

SN	CONFORMITY TO STANDARDS	ABS-POLYCARBONATE
09	Empty Enclosure-Low Voltage Switch gear	YES
10	RoHS	YES
11	CE	YES



PRODUCTS

Kenclozer™



SRT-ABS-1813T



SRT-ABS-1818T



SRT-ABS-2219T



SRT-ABS-2920T



SRT-ABS-3819T



IND-ABS-2828T



IND-ABS-4030T



IND-ABS-5638T

Kenclozer™

NEW

ARRIVAL

**DON'T
COMPROMISE
OVER QUALITY**

BUY ONLY KENCLOZER
ENCLOSURE FOR SOLAR PROJECTS

- ✓ Easy Operated
- ✓ Time Saver
- ✓ Shock Proof
- ✓ Dust Proof
- ✓ Water Proof
- ✓ Openable Door



Kenclozer DB 5 WAY



Kenclozer DB 8 WAY



**Kenclozer DB
12 WAY**



Our Clients



Our Own Brands



KSQUARE™

Corporate Office 📍

B-403/404 Signature - 2, Sarkhej Sanand Road,
Sarkhej, Ahmedabad - 382210.

Factory Unit 📍

No. 56, Mahagujarat Industrial Estate, Sarkhej-Bavla Road,
B/h Intas Pharma, Moraiya, Changodar-382213.



sales@ksquareenergy.com 📧 +91 72279 31916 | 19 📞

www.ksquareenergy.com 🌐